

ผลงานตีพิมพ์ปีงบประมาณ 2558

No.	Authors	Title	Source title
1	Jaruratanasirikul S, Thengyai S, Wongpoowarak W, Wattanavijitkul T, Tangkitwanitjaroen K, Sukarnjanaset W, Jullangkoon M, Samaeng M.	Population Pharmacokinetics and Monte Carlo Dosing Simulations of Meropenem during the Early Phase of Severe Sepsis and Septic Shock in Critically Ill Patients in Intensive Care Units.	Antimicrob Agents Chemother. 2015 Jun;59(6):2995-3001.
2	Jaruratanasirikul S, Wongpoowarak W, Jullangkoon M, Samaeng M.	Population pharmacokinetics and dosing simulations of imipenem in serious bacteraemia in immunocompromised patients with febrile neutropenia.	J Pharmacol Sci. 2015 Feb;127(2):164-9.
3	Lim SG, Amarapurkar DN, Chan HL, Crawford DH, Gane EJ, Han KH, Ahn SH, Jafri W, Jia J, Kao JH, Lesmana LA, Lesmana CR, Mohamed R, Phiet PH, Piratvisuth T, Sarin SK, Sollano JD, Eguchi Y, Mahtab MA, Lee KH.	Reimbursement policies in the Asia-Pacific for chronic hepatitis B.	Hepatol Int. 2015 Jan;9(1):43- 51.

No.	Authors	Title	Source title
4	Colvin RA, Tanwandee T, Piratvisuth T, Thongsawat S, Hui AJ, Zhang H, Ren H, Chen PJ, Chuang WL, Sobhonslidsuk A, Li R, Qi Y, Praestgaard J, Han Y, Xu J, Stein DS; ABF656A2206 Study Group.	Randomized, controlled pharmacokinetic and pharmacodynamic evaluation of albinferon in patients with chronic hepatitis B infection.	J Gastroenterol Hepatol. 2015 Jan;30(1):184-91.
5	Kwankaew J, Leelawattana R, Saignam A, Siripaitoon B, Uea-Areewongsa P, Juthong S.	Apolipoprotein B as an independent predictor of arterial stiffness in systemic lupus erythematosus patients.	Int J Rheum Dis. 2015 May;18(4):447-51.
6	Olsen SJ, Campbell AP, Supawat K, Liamsuwan S, Chotpitayasunondh T, Laptikulthum S, Viriyavejakul A, Tantirittisak T, Tunlayadechanont S, Visudtibhan A, Vasiknanonte P, Janjindamai S, Boonluksiri P, Rajborirug K, Watanaveeradej V, Khetsuriani N, Dowell SF; Thailand Encephalitis Surveillance Team.	Infectious causes of encephalitis and meningoencephalitis in Thailand, 2003-2005.	Emerg Infect Dis. 2015 Feb;21(2):280-9.

No.	Authors	Title	Source title
7	Swain SM, Baselga J, Kim SB, Ro J, Semiglazov V, Campone M, Ciruelos E, Ferrero JM, Schneeweiss A, Heeson S, Clark E, Ross G, Benyunes MC, Cortés J; CLEOPATRA Study Group.	Pertuzumab, trastuzumab, and docetaxel in HER2-positive metastatic breast cancer.	N Engl J Med. 2015 Feb 19;372(8):724-34.
8	Khwannimit B, Bhurayanontachai R.	The direct costs of intensive care management and risk factors for financial burden of patients with severe sepsis and septic shock.	J Crit Care. 2015 Oct;30(5):929-934
9	Siripaitoon B, Lertwises S, Uea-Areewongsa P, Khwannimit B.	A study of Thai patients with systemic lupus erythematosus in the medical intensive care unit: epidemiology and predictors of mortality.	Lupus. 2015 Jan;24(1):98-106.
10	Keeratichananont W, Limthon T, Keeratichananont S.	Efficacy and safety profile of autologous blood versus tetracycline pleurodesis for malignant pleural effusion.	Ther Adv Respir Dis. 2015 Apr;9(2):42-8.
11	Hongsakul K, Rookkapan S, Sungsirir J, Boonsrirat U, Kritpracha B.	Pharmacomechanical Thrombolysis versus Surgical Thrombectomy for the Treatment of Thrombosed Haemodialysis Grafts.	Ann Acad Med Singapore. 2015 Feb;44(2):66-70.

No.	Authors	Title	Source title
12	Apiyasawat S, Tangcharoen T, Wisaratapong T, Yamwong S, Wiboonpolprasert S, Sritara P.	CHA ₂ DS ₂ -VASc scores predict mortality after hospitalization for atrial fibrillation.	Int J Cardiol. 2015 Apr 15;185:293-6.
13	Kiranantawat N, Srisala N, Sungsiri J, Geater SL, Tanomkiat W.	Transthoracic imaging-guided biopsy of lung lesions: evaluation of benign non-specific pathologic diagnoses.	J Med Assoc Thai. 2015 May;98(5):501-7.
14	Yang JC, Sequist LV, Geater SL, Tsai CM, Mok TS, Schuler M, Yamamoto N, Yu CJ, Ou SH, Zhou C, Massey D, Zazulina V, Wu YL.	Clinical activity of afatinib in patients with advanced non-small-cell lung cancer harbouring uncommon EGFR mutations: a combined post-hoc analysis of LUX-Lung 2, LUX-Lung 3, and LUX-Lung 6.	Lancet Oncol. 2015 Jul;16(7):830-8.
15	Lip GY, Rushton-Smith SK, Goldhaber SZ, Fitzmaurice DA, Mantovani LG, Goto S, Haas S, Bassand JP, Camm AJ, Ambrosio G, Janský P, Al Mahmeed W, Oh S, van Eickels M, Raatikainen P, Steffel J, Oto A, Kayani G, Accetta G, Kakkar AK; GARFIELD-AF Investigators.	Does sex affect anticoagulant use for stroke prevention in nonvalvular atrial fibrillation? The prospective global anticoagulant registry in the FIELD-Atrial Fibrillation.	Circ Cardiovasc Qual Outcomes. 2015 Mar;8(2 Suppl 1):S12-20.

No.	Authors	Title	Source title
16	Siripun A, Sripongpun P, Ovartlarnporn B.	Endoscopic ultrasound-guided biliary intervention in patients with surgically altered anatomy.	World J Gastrointest Endosc. 2015 Mar 16;7(3):283-9.
17	Chusri S, Silpapojakul K, McNeil E, Singkhamanan K, Chongsuvivatwong V.	Impact of antibiotic exposure on occurrence of nosocomial carbapenem-resistant <i>Acinetobacter baumannii</i> infection: a case control study.	J Infect Chemother. 2015 Feb;21(2):90-5.
18	Okabayashi T, Sasaki T, Masrinoul P, Chantawat N, Yoksan S, Nitatpattana N, et al.	Detection of chikungunya virus antigen by a novel rapid immunochromatographic test.	J Clin Microbiol. 2015 Feb;53(2):382-8.
19	Rungprai D, Jaruratanasirikul S, Wongpoowarak W, Pattharachayakul S, Wanakamanee U, Dandecha P, Jitsurong A.	Vancomycin Dosing Regimen by Monte Carlo Simulation in Patients on Intermittent High-Efficiency Hemodialysis (HEHD)	J Med Assoc Thai. 2015 Jun;98(6):606-15.
20	Tachaudomdach C, Kantachuvesiri S, Wongpraphairot S, Worawichawong S, Tankee P, Riengrojpitak S, Kitiyakara C.	High collagen I gene expression as an independent predictor of adverse renal outcomes in lupus nephritis patients with preserved renal function	Arch Pathol Lab Med. 2015 Mar;139(3):378-87.

No.	Authors	Title	Source title
21	Sathirapanya P.	Isolated and bilateral simultaneous facial palsy disclosing early human immunodeficiency virus infection. (case report)	Singapore Med J. 2015 Jun;56(6):e105-6
22	Foss F, Advani R, Duvic M, Hymes KB, Intragumtornchai T, Lekhakula A , Shpilberg O, Lerner A, Belt RJ, Jacobsen ED, Laurent G, Ben-Yehuda D, Beylot-Barry M, Hillen U, Knoblauch P, Bhat G, Chawla S, Allen LF, Pohlman B.	A Phase II trial of Belinostat (PXD101) in patients with relapsed or refractory peripheral or cutaneous T-cell lymphoma.	Br J Haematol. 2015 Mar;168(6):811-9.
23	Zeuzem S, Flisiak R, Vierling JM, Mazur W, Mazzella G, Thongsawat S, Abdurakhmanov D, Van Kinh N, Calistru P, Heo J, Stanciu C, Gould M, Makara M, Hsu SJ, Buggisch P, Samuel D, Mutimer D, Nault B, Merz M, Bao W, Griffel LH, Brass C, Naoumov NV; ESSENTIAL II Study Group.	Randomised clinical trial: alisporivir combined with peginterferon and ribavirin in treatment-naïve patients with chronic HCV genotype 1 infection (ESSENTIAL II).	Aliment Pharmacol Ther. 2015 Oct;42(7):829-44.

No.	Authors	Title	Source title
24	Sukeepaisarnjaroen W, Pham T, Tanwandee T, Nazareth S, Galhenage S, Mollison L, Totten L, Wigg A, Altus R, Colman A, Morales B, Mason S, Jones T, Leembruggen N, Fragomelli V, Sendall C, Guan R, Sutedja D, Tan SS, Dan YY, Lee YM, Luman W, Teo EK, Than YM, Piratvisuth T , Lim SG.	Boceprevir early-access for advanced-fibrosis/cirrhosis in Asia-pacific hepatitis C virus genotype 1 non-responders/relapsers.	World J Gastroenterol. 2015 Jul 28;21(28):8660-9.
25	Pawlotsky JM, Flisiak R, Sarin SK, Rasenack J, Piratvisuth T , Chuang WL, Peng CY, Foster GR, Shah S, Wedemeyer H, Hézode C, Zhang W, Wong KA, Li B, Avila C, Naoumov NV; VITAL-1 study team.	Alisporivir plus ribavirin, interferon-free or in combination with peg-interferon, for HCV genotype 2 or 3 infection.	Hepatology. 2015 Oct;62(4):1013-23.
26	Kietsiroje N, Leelawattana R .	Effects of pravastatin, phytosterols, and combination therapy on lipid profile in HIV-infected patients: an open-labelled, randomized cross-over study.	BMC Res Notes. 2015 Jul 7;8:294.

No.	Authors	Title	Source title
27	Keeratichananont W, Nilmoje T, Keeratichananont S, Rittatorn J.	Diagnostic yield and safety of sputum induction with nebulized racemic salbutamol versus hypertonic saline in smear-negative pulmonary tuberculosis.	Ther Adv Respir Dis. 2015 Oct;9(5):217-23.
28	Rattanawong P, Vutthikraivit W, Charoensri A, Jongraksak T, Prombandankul A, Kanjanahattakij N, Rungaramsin S, Wisaratapong T , Ngarmukos T.	Fever-Induced Brugada Syndrome Is More Common Than Previously Suspected: A Cross-Sectional Study from an Endemic Area.	Ann Noninvasive Electrocardiol. 2015 Jul 14.
29	Geater SL, Xu CR, Zhou C, Hu CP, Feng J, Lu S, Huang Y, Li W, Hou M, Shi JH, Lee KY, Palmer M, Shi Y, Lungershausen J, Wu YL.	Symptom and Quality of Life Improvement in LUX-Lung 6: An Open-Label Phase III Study of Afatinib Versus Cisplatin/Gemcitabine in Asian Patients With EGFR Mutation-Positive Advanced Non-small-cell Lung Cancer.	J Thorac Oncol. 2015 Jun;10(6):883-9.
30	Maneechay W, Boonpipattanapong T, Kanngurn S, Puttawibul P, Geater SL, Sangkhathat S.	Single nucleotide polymorphisms in the Gc gene for vitamin D binding protein in common cancers in Thailand.	Asian Pac J Cancer Prev. 2015;16(8):3339-44.

No.	Authors	Title	Source title
31	Yang JC, Wu YL, Schuler M, Sebastian M, Papat S, Yamamoto N, Zhou C, Hu CP, O'Byrne K, Feng J, Lu S, Huang Y, Geater SL, Lee KY, Tsai CM, Gorbunova V, Hirsh V, Bennouna J, Orlov S, Mok T, Boyer M, Su WC, Lee KH, Kato T, Massey D, Shahidi M, Zazulina V, Sequist LV.	Afatinib versus cisplatin-based chemotherapy for EGFR mutation-positive lung adenocarcinoma (LUX-Lung 3 and LUX-Lung 6): analysis of overall survival data from two randomised, phase 3 trials.	Lancet Oncol. 2015 Feb;16(2):141-51.
32	Sathitruangsak C, Righolt CH, Klewes L, Tammur P, Ilus T, Tamm A, Punab M, Olujohungbe A, Mai S.	Quantitative superresolution microscopy reveals differences in nuclear DNA organization of multiple myeloma and monoclonal gammopathy of undetermined significance.	J Cell Biochem. 2015 May;116(5):704-10.
33	Chichareon P, Krittayaphong R, Yindeengam A.	Prevalence and predictors of appropriate implantable cardioverter defibrillator therapy in chronic left ventricular dysfunction patients for primary prevention of sudden cardiac death in Siriraj Hospital.	J Med Assoc Thai. 2015 Jan;98(1):14-20.

No.	Authors	Title	Source title
34	Julamanee J, Kayasut K, Lekhakula A.	The Expressions of P53, Bcl-2, and P-Glycoprotein and Prognostic Impact in Patients with Peripheral T-Cell Lymphoma (PTCL).	J Med Assoc Thai. 2015 Oct;98(10):950-6.
35	Kietsiroje N, Kwankaew J, Kitpakornsanti S, Leelawattana R.	Effect of phytosterols and inulin-enriched soymilk on LDL-cholesterol in Thai subjects: a double-blinded randomized controlled trial.	Lipids Health Dis. 2015 Nov 9;14:146.
36	Toamad U, Kongkamol C, Setthawatcharawanich S , Limapichat K, Phabphal K, Sathirapanya P.	Clinical presentations as predictors of prolonged mechanical ventilation in Guillain-Barré syndrome in an institution with limited medical resources.	Singapore Med J. 2015 Oct;56(10):558-61.
37	Thatcher N, Hirsch FR, Luft AV, Szczesna A, Ciuleanu TE, Dediu M, Ramlau R, Galiulin RK, Bálint B, Losonczy G, Kazarnowicz A, Park K, Schumann C, Reck M, Depenbrock H, Nanda S, Kruljac-Letunic A, Kurek R, Paz-Ares L, Socinski MA; SQUIRE Investigators.	Necitumumab plus gemcitabine and cisplatin versus gemcitabine and cisplatin alone as first-line therapy in patients with stage IV squamous non-small-cell lung cancer (SQUIRE): an open-label, randomised, controlled phase 3 trial.	Lancet Oncol. 2015 Jul;16(7):763-74.

No.	Authors	Title	Source title
38	Sakr Y, Alhussami I, Nanchal R, Wunderink RG, Pellis T, Wittebole X, Martin-Loeches I, François B, Leone M, Vincent JL; Intensive Care Over Nations Investigators.	Being Overweight Is Associated With Greater Survival in ICU Patients: Results From the Intensive Care Over Nations Audit.	Crit Care Med. 2015 Dec;43(12):2623-32.
39	Chemoh W, Sawangjaroen N, Siripaitoon P , Andiappan H, Hortiwakul T, Sermwittayawong N, Charoenmak B, Nissapatorn V.	Toxoplasma gondii - Prevalence and Risk Factors in HIV-infected Patients from Songklanagarind Hospital, Southern Thailand.	Front Microbiol. 2015 Nov 25;6:1304.
40	Korathanakhun P, Petpichetchian W, Sathirapanya P , Geater SL.	Cerebral venous thrombosis: comparing characteristics of infective and non-infective aetiologies: a 12-year retrospective study.	Postgrad Med J. 2015 Dec;91(1082):670-4.
41	Rattanawong P, Ngarmukos T, Wisaratapong T .	Discovering Brugada syndrome during preoperative evaluation.	J Anesth. 2015 Jun;29(3):480.

No.	Authors	Title	Source title
42	Allemani C, Weir HK, Carreira H, Harewood R, Spika D, Wang XS, Bannon F, Ahn JV, Johnson CJ, Bonaventure A, Marcos-Gragera R, Stiller C, Azevedo e Silva G, Chen WQ, Ogunbiyi OJ, Rachet B, Soeberg MJ, You H, Matsuda T, Bielska-Lasota M, Storm H, Tucker TC, Coleman MP; CONCORD Working Group.	Global surveillance of cancer survival 1995-2009: analysis of individual data for 25,676,887 patients from 279 population-based registries in 67 countries (CONCORD-2).	Lancet. 2015 Mar 14;385(9972):977-1010.
43	Koonrangsomboon W, Khwannimit B.	Impact of positive fluid balance on mortality and length of stay in septic shock patients	Indian Journal of Critical Care Medicine. 2015 Dec; 19(12):708-13.
44	Kietsiroje N	Human immunodeficiency virus infection and male hypogonadism: A review	J Med Assoc Thai. 2015 Oct;98(10):1045-55.